



HRP High Resolution Scales

[d] down to 0.02 g
[Max] up to 2 000 kg

High Maximum Capacity and Accuracy in a Single Device

On the large weighing pan of an HRP scale, you can weigh a load of 150 kg with a readability of 1 g and impressive repeatability.

Fast and Stable

The scale displays the final result even in one second.



Parameter Stability Over Time and After Transport

Retain the correct metrological parameters even after prolonged, intensive use and transport of the scale due to its resistant and robust mechanical design.

Maximum Robustness

- Platforms with IP 67,
- Additional sealing elements protect against dust, dirt, and moisture,
- Can be cleaned with a pressure washer.

Weighing Pan Dimensions Adapted to the Accuracy of the Balance

Weigh with the highest readability of 0.02 g on the 360 x 280 mm weighing pan and with a readability of 20 g on the 1,250 x 1,000 mm weighing pan.




Minimum Eccentricity Error Over the Entire Range

On the HRP scales, you can also weigh irregularly shaped items with a centre of gravity significantly displaced from the weighing pan axis.

New HRP Platform

- Readability of 0.01 g at 10 kg maximum capacity and 0,2 g at 120 kg maximum capacity,
- Repeatability down to 0.01 g,
- Higher resistance to changes in ambient conditions.
- The platforms are so robust that they can be cleaned with a pressure washer,
- Transport protection that stiffens the structure during transport, eliminating any unwanted stresses,
- Platforms of IP 67.




Measuring system based
on  MONOBLOCK® technology




Platforms with a maximum capacity starting at 300 kg include transport handles, which makes them easy to move.

New, Improved MONOBLOCK[®]

- Readability of 0.02 g at 10 kg maximum capacity and 1 g at 150 kg maximum capacity,
- Repeatability down to 0.03 g,
- Maximum resistance to changes in ambient conditions.




The adjustment is carried out using an **internal** weight, eliminating human errors




High Resolution Scales HY10.HRP

The PUE HY10 terminal features:

- 10.1", graphic, colour display,
- touch-sensitive keypad,
- stainless steel housing,
- IP 68/69,
- communication interfaces such as: RS 232 (2), USB (2), Ethernet, IN/OUT (4),
- optional extra modules such as: Wi-Fi, RS 485, Profibus, Profinet, analog output module, IN/OUT (12).





High Resolution Scales PUE 7.1.HRP

The PUE 7.1 terminal features:

- 5.7", resistive, colour display,
- touch-sensitive keypad,
- ABS plastic housing,
- IP 43,
- communication interfaces such as: RS 232 (2), USB-A (2), Ethernet, IN/OUT (4), Wi-Fi,
- optional extra modules such as: module of an additional A/D DP6 converter.





Technical Specification

HY10 Terminal

Weighing Pan Dimensions - 360×280 mm



Product Code	Model	Max. capacity	Readability	Repeatability
WP-330-0036	HY10.10.HRP	10 kg	0.02 g	0.03 g
WP-330-0010	HY10.16.HRP	16 kg	0.1 g	0.1 g
WP-330-0033	HY10.16.HRPM2.1	16 kg	0.1 g	0.1 g
WP-330-0034	HY10.16.HRPM2.2	16 kg	1 g	0.3 g
WP-330-1009	HY10.16.HRPM3	5 / 10 / 16 kg	0.5 / 1 / 2 g	0.15 / 0.3 / 0.6 g
WP-330-0009	HY10.32.HRP	32 kg	0.1 g	0.1 g
WP-330-0015	HY10.32.HRPM2.1	32 kg	0.1 g	0.1 g
WP-330-0016	HY10.32.HRPM2.2	32 kg	2 g	0.6 g
WP-330-1001	HY10.32.HRPM3	10 / 20 / 32 kg	1 / 2 / 5 g	0.3 / 0.6 / 1.5 g
WP-340-0037	HY10.10.HRPH	10 kg	0.02 g	0.03 g
WP-340-0001	HY10.16.HRPH	16 kg	0.1 g	0.1 g
WP-340-0029	HY10.16.HRPH.M2.1	16 kg	0.1 g	0.1 g
WP-340-0030	HY10.16.HRPH.M2.2	16 kg	1 g	0.3 g
WP-340-1010	HY10.16.HRPH.M3	5 / 10 / 16 kg	0.5 / 1 / 2 g	0.15 / 0.3 / 0.6 g
WP-340-0002	HY10.32.HRPH	32 kg	0.1 g	0.1 g
WP-340-0013	HY10.32.HRPH.M2.1	32 kg	0.1 g	0.1 g
WP-340-0014	HY10.32.HRPH.M2.2	32 kg	2 g	0.6 g
WP-340-1001	HY10.32.HRPH.M3	10 / 20 / 32 kg	1 / 2 / 5 g	0.3 / 0.6 / 1.5 g

Weighing Pan Dimensions - 500×400 mm



Product Code	Model	Max. capacity	Readability	Repeatability
WP-330-0001	HY10.62.HRP	62 kg	0.5 g	0.3 g
WP-330-0017	HY10.62.HRPM2.1	62 kg	1 g	0.3 g
WP-330-0018	HY10.62.HRPM2.2	62 kg	2 g	0.6 g
WP-330-1002	HY10.62.HRPM3	20 / 50 / 62 kg	2 / 5 / 10 g	0.6 / 1.5 / 3 g
WP-330-0007	HY10.120.HRP	120 kg	0.5 g	0.3 g
WP-330-0019	HY10.120.HRPM2.1	120 kg	1 g	0.3 g
WP-330-0020	HY10.120.HRPM2.2	120 kg	2 g	0.6 g
WP-330-1003	HY10.120.HRPM3	50 / 100 / 120 kg	2 / 5 / 10 g	0.6 / 1.5 / 3 g
WP-330-0038	HY10.150.HRP	150 kg	1 g	0.6 g
WP-330-0039	HY10.150.HRPM2.1	150 kg	1 g	0.6 g
WP-330-0040	HY10.150.HRPM2.2	150 kg	5 g	1.5 g
WP-330-1010	HY10.150.HRPM3	50 / 100 / 150 kg	5 / 10 / 20 g	1.5 / 3 / 6 g
WP-340-0003	HY10.62.HRPH	62 kg	0.5 g	0.3 g
WP-340-0015	HY10.62.HRPH.M2.1	62 kg	1 g	0.3 g
WP-340-0016	HY10.62.HRPH.M2.2	62 kg	2 g	0.6 g
WP-340-1002	HY10.62.HRPH.M3	20 / 50 / 62 kg	2 / 5 / 10 g	0.6 / 1.5 / 3 g
WP-340-0009	HY10.120.HRPH	120 kg	0.5 g	0.3 g
WP-340-0017	HY10.120.HRPH.M2.1	120 kg	1 g	0.3 g
WP-340-0018	HY10.120.HRPH.M2.2	120 kg	2 g	0.6 g
WP-340-1003	HY10.120.HRPH.M3	50 / 100 / 120 kg	2 / 5 / 10 g	0.6 / 1.5 / 3 g
WP-340-0042	HY10.150.HRPH	150 kg	1 g	0.6 g
WP-340-0043	HY10.150.HRPH.M2.1	150 kg	1 g	0.6 g
WP-340-0044	HY10.150.HRPH.M2.2	150 kg	5 g	1.5 g
WP-340-1012	HY10.150.HRPH.M3	50 / 100 / 150 kg	5 / 10 / 20 g	1.5 / 3 / 6 g

Weighing Pan Dimensions - 800×600 mm



Product Code	Model	Max. capacity	Readability	Repeatability
WP-330-0002	HY10.150.1.HRP	150 kg	1 g	1.5 g
WP-330-0021	HY10.150.1.HRP.M2.1	150 kg	1 g	1.5 g
WP-330-0022	HY10.150.1.HRP.M2.2	150 kg	5 g	1.5 g
WP-330-1004	HY10.150.1.HRP.M3	50 / 100 / 150 kg	5 / 10 / 20 g	1.5 / 3 / 6 g
WP-330-0003	HY10.300.HRP	300 kg	1 g	3 g
WP-330-0023	HY10.300.HRP.M2.1	300 kg	1 g	3 g
WP-330-0024	HY10.300.HRP.M2.2	300 kg	20 g	6 g
WP-330-1005	HY10.300.HRP.M3	100 / 200 / 300 kg	10 / 20 / 50 g	3 / 6 / 15 g
WP-340-0004	HY10.150.1.HRP.H	150 kg	1 g	1.5 g
WP-340-0019	HY10.150.1.HRP.H.M2.1	150 kg	1 g	1.5 g
WP-340-0020	HY10.150.1.HRP.H.M2.2	150 kg	5 g	1.5 g
WP-340-1004	HY10.150.1.HRP.H.M3	50 / 100 / 150 kg	5 / 10 / 20 g	1.5 / 3 / 6 g
WP-340-0005	HY10.300.HRP.H	300 kg	1 g	3 g
WP-340-0021	HY10.300.HRP.H.M2.1	300 kg	1 g	3 g
WP-340-0022	HY10.300.HRP.H.M2.2	300 kg	20 g	6 g
WP-340-1005	HY10.300.HRP.H.M3	100 / 200 / 300 kg	10 / 20 / 50 g	3 / 6 / 15 g

Weighing Pan Dimensions - 1000×800 mm



Product Code	Model	Max. capacity	Readability	Repeatability
WP-330-0004	HY10.300.1.HRP	300 kg	1 g	3 g
WP-330-0025	HY10.300.1.HRP.M2.1	300 kg	1 g	3 g
WP-330-0026	HY10.300.1.HRP.M2.2	300 kg	20 g	6 g
WP-330-1006	HY10.300.1.HRP.M3	100 / 200 / 300 kg	10 / 20 / 50 g	3 / 6 / 15 g
WP-330-0005	HY10.600.HRP	600 kg	5 g	7.5 g
WP-330-0027	HY10.600.HRP.M2.1	600 kg	10 g	7.5 g
WP-330-0028	HY10.600.HRP.M2.2	600 kg	20 g	7.5 g
WP-330-1007	HY10.600.HRP.M3	200 / 500 / 600 kg	20 / 50 / 100 g	7.5 / 15 / 30 g
WP-330-1008	HY10.1100.HRP.M3	200 / 500 / 1000 kg	20 / 50 / 100 g	15 / 15 / 30 g
WP-330-0006	HY10.1100.HRP	1100 kg	10 g	15 g
WP-330-0031	HY10.1100.HRP.M2.1	1100 kg	10 g	15 g
WP-330-0032	HY10.1100.HRP.M2.2	1100 kg	50 g	15 g
WP-340-0006	HY10.300.1.HRP.H	300 kg	1 g	3 g
WP-340-0023	HY10.300.1.HRP.H.M2.1	300 kg	1 g	3 g
WP-340-0024	HY10.300.1.HRP.H.M2.2	300 kg	20 g	6 g
WP-340-1006	HY10.300.1.HRP.H.M3	100 / 200 / 300 kg	10 / 20 / 50 g	3 / 6 / 15 g
WP-340-0007	HY10.600.HRP.H	600 kg	5 g	7.5 g
WP-340-0025	HY10.600.HRP.H.M2.1	600 kg	10 g	7.5 g
WP-340-0026	HY10.600.HRP.H.M2.2	600 kg	20 g	7.5 g
WP-340-1007	HY10.600.HRP.H.M3	200 / 500 / 600 kg	20 / 50 / 100 g	7.5 / 15 / 30 g
WP-340-1009	HY10.1100.HRP.H.M3	200 / 500 / 1000 kg	20 / 50 / 100 g	15 / 15 / 30 g
WP-340-0008	HY10.1100.HRP.H	1100 kg	10 g	15 g
WP-340-0027	HY10.1100.HRP.H.M2.1	1100 kg	10 g	15 g
WP-340-0028	HY10.1100.HRP.H.M2.2	1100 kg	50 g	15 g

Weighing Pan Dimensions - 1250×1000 mm



Product Code	Model	Max. capacity	Readability	Repeatability
WP-340-0012	HY10.2000.HRP.H	2000 kg	20 g	30 g

Technical Specification

PUE 7.1 Terminal

Weighing Pan Dimensions - 360×280 mm



Product Code	Model	Max. capacity	Readability	Repeatability
WP-350-0048	PUE 7.1.10.HRP	10 kg	0.02 g	0.03 g
WP-350-0001	PUE 7.1.16.HRP	16 kg	0.1 g	0.1 g
WP-350-0037	PUE 7.1.16.HRPM2.1	16 kg	0.1 g	0.1 g
WP-350-0038	PUE 7.1.16.HRPM2.2	16 kg	1 g	0.3 g
WP-350-1009	PUE 7.1.16.HRPM3	5 / 10 / 16 kg	0.5 / 1 / 2 g	0.15 / 0.3 / 0.6 g
WP-350-0002	PUE 7.1.32.HRP	32 kg	0.1 g	0.1 g
WP-350-0020	PUE 7.1.32.HRPM2.1	32 kg	0.1 g	0.1 g
WP-350-0021	PUE 7.1.32.HRPM2.2	32 kg	2 g	0.3 g
WP-350-1001	PUE 7.1.32.HRPM3	10 / 20 / 32 kg	1 / 2 / 5 g	0.15 / 0.3 / 0.6 g

Weighing Pan Dimensions - 500×400 mm



Product Code	Model	Max. capacity	Readability	Repeatability
WP-350-0010	PUE 7.1.62.HRP	62 kg	0.5 g	0.3 g
WP-350-0022	PUE 7.1.62.HRPM2.1	62 kg	1 g	0.3 g
WP-350-0023	PUE 7.1.62.HRPM2.2	62 kg	2 g	0.6 g
WP-350-1002	PUE 7.1.62.HRPM3	20 / 50 / 62 kg	2 / 5 / 10 g	0.6 / 1.5 / 3 g
WP-350-0004	PUE 7.1.120.HRP	120 kg	0.5 g	0.3 g
WP-350-0024	PUE 7.1.120.HRPM2.1	120 kg	1 g	0.3 g
WP-350-0025	PUE 7.1.120.HRPM2.2	120 kg	2 g	0.6 g
WP-350-1003	PUE 7.1.120.HRPM3	50 / 100 / 120 kg	2 / 5 / 10 g	0.6 / 1.5 / 3 g
WP-350-0051	PUE 7.1.150.HRP	150 kg	1 g	0.6 g
WP-350-0052	PUE 7.1.150.HRPM2.1	150 kg	1 g	0.6 g
WP-350-0053	PUE 7.1.150.HRPM2.2	150 kg	5 g	1.5 g
WP-350-1010	PUE 7.1.150.HRPM3	50 / 100 / 150 kg	5 / 10 / 20 g	1.5 / 3 / 6 g

Weighing Pan Dimensions - 800×600 mm



Product Code	Model	Max. capacity	Readability	Repeatability
WP-350-0005	PUE 7.1.150.1.HRP	150 kg	1 g	1.5 g
WP-350-0026	PUE 7.1.150.1.HRPM2.1	150 kg	1 g	1.5 g
WP-350-0027	PUE 7.1.150.1.HRPM2.2	150 kg	5 g	1.5 g
WP-350-1004	PUE 7.1.150.1.HRPM3	50 / 100 / 150 kg	5 / 10 / 20 g	1.5 / 3 / 6 g
WP-350-0006	PUE 7.1.300.HRP	300 kg	1 g	3 g
WP-350-0028	PUE 7.1.300.HRPM2.1	300 kg	1 g	3 g
WP-350-0029	PUE 7.1.300.HRPM2.2	300 kg	20 g	6 g
WP-350-1005	PUE 7.1.300.HRPM3	100 / 200 / 300 kg	10 / 20 / 50 g	3 / 6 / 15 g

Weighing Pan Dimensions - 1000×800 mm



Product Code	Model	Max. capacity	Readability	Repeatability
WP-350-0007	PUE 7.1.300.1.HRP	300 kg	1 g	3 g
WP-350-0030	PUE 7.1.300.1.HRP.M2.1	300 kg	1 g	3 g
WP-350-0031	PUE 7.1.300.1.HRP.M2.2	300 kg	20 g	6 g
WP-350-1006	PUE 7.1.300.1.HRP.M3	100 / 200 / 300 kg	10 / 20 / 50 g	3 / 6 / 15 g
WP-350-0033	PUE 7.1.600.HRP	600 kg	20 g	7.5 g
WP-350-0032	PUE 7.1.600.HRP.M2.1	600 kg	10 g	7.5 g
WP-350-0033	PUE 7.1.600.HRP.M2.2	600 kg	20 g	7.5 g
WP-350-1007	PUE 7.1.600.HRP.M3	200 / 500 / 600 kg	20 / 50 / 100 g	7.5 / 15 / 30 g
WP-350-1008	PUE 7.1.1100.HRP.M3	200 / 500 / 1000 kg	20 / 50 / 100 g	15 / 15 / 30 g
WP-350-0009	PUE 7.1.1100.HRP	1100 kg	10 g	15 g
WP-350-0034	PUE 7.1.1100.HRP.M2.1	1100 kg	10 g	15 g
WP-350-0035	PUE 7.1.1100.HRP.M2.2	1100 kg	50 g	15 g



PRODUCT CATALOGUE

ADVANCED WEIGHING TECHNOLOGIES





Platform Scales

Advanced Weighing Technologies for Industry

Technical Specification

1-Load-Cell Platform Scales

Platform in Plastic Casing



Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WX-009-1014	PL0.6/1.5/D2	0.6 / 1.5 kg	0.5 g	IP 43	195x195 mm
WX-009-1007	PL1,5/3/D2	1.5 / 3 kg	1 g	IP 43	195x195 mm
WX-009-1002	PL3/6/D2	3 / 6 kg	2 g	IP 43	195x195 mm

Mild Steel Powder Coated Weighing Platforms



Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WX-009-0096	PLC/6/F1	6 kg	2 g	IP 65	300x300mm
WX-009-0097	PLC/15/F1	15 kg	5 g	IP 65	300x300mm
WX-009-0098	PLC/30/F1	30 kg	10 g	IP 65	300x300mm



Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WX-009-0004	PLC/60/C2	60 kg	20 g	IP 65	400x500mm
WX-009-0005	PLC/150/C2	150 kg	50 g	IP 65	400x500mm
WX-009-0006	PLC/300/C2	300 kg	100 g	IP 65	400x500mm
WX-009-0007	PLC/150/C3	150 kg	50 g	IP 65	500x700mm
WX-009-0008	PLC/300/C3	300 kg	100 g	IP 65	500x700mm

Waterproof Stainless Steel Platforms




Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WX-009-0009	PL/3/H1	3 kg	1 g	IP 68	150x200mm
WX-009-0010	PL/6/H2	6 kg	2 g	IP 68	250x300mm
WX-009-0011	PL/15/H2	15 kg	5 g	IP 68	250x300mm
WX-009-0012	PL/15/H3	15 kg	5 g	IP 68	410x410 mm
WX-009-0013	PL/30/H3	30 kg	10 g	IP 68	410x410 mm
WX-009-0014	PL/60/H3	60 kg	20 g	IP 68	410x410 mm
WX-009-0016	PL/60/H4	60 kg	20 g	IP 68	500x500 mm
WX-009-0018	PL/60/H5	60 kg	20 g	IP 68	600x600 mm
WX-009-0020	PL/60/H6	60 kg	20 g	IP 68	800x800 mm
WX-009-0015	PL/150/H3	150 kg	50 g	IP 68	410x410 mm
WX-009-0178	PL/60/H3/5	150 kg	50 g	IP 68	400x600 mm
WX-009-0017	PL/150/H4	150 kg	50 g	IP 68	500x500 mm
WX-009-0019	PL/150/H5	150 kg	50 g	IP 68	600x600 mm
WX-009-0021	PL/150/H6	150 kg	50 g	IP 68	800x800 mm
WX-009-0178	PL/60/H3/5	150 kg	50 g	IP 68	400x600 mm
WX-009-0022	PL/300/H6	300 kg	100 g	IP 68	800x800 mm

Technical Specification

4-Load-Cell Platform Scales

Mild Steel Powder Coated Weighing Platforms



Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WX-009-0023	PLC/4/600/C6	600 kg	200 g	IP 65	800x800 mm
WX-009-0083	PLC/4/600/C7	600 kg	200 g	IP 65	1000x1000 mm
WX-009-0024	PLC/4/1500/C7	1500 kg	500 g	IP 65	1000x1000 mm
WX-009-0025	PLC/4/1500/C8	1500 kg	500 g	IP 65	1200x1200 mm
WX-009-0027	PLC/4/1500/C8/9	1500 kg	500 g	IP 65	1200x1500 mm
WX-009-0029	PLC/4/1500/C9	1500 kg	500 g	IP 65	1500x1500 mm
WX-009-0026	PLC/4/3000/C8	3000 kg	1 kg	IP 65	1200x1200 mm
WX-009-0028	PLC/4/3000/C8/9	3000 kg	1 kg	IP 65	1200x1500 mm
WX-009-0030	PLC/4/3000/C9	3000 kg	1 kg	IP 65	1500x1500 mm
WX-009-0031	PLC/4/3000/C10	3000 kg	1 kg	IP 65	1500x2000 mm
WX-009-0032	PLC/4/3000/C11	3000 kg	1 kg	IP 65	2000x2000 mm
WX-009-1146	PLC/4/6000/C10	6000 kg	2 kg	IP 65	1500x2000 mm
WX-009-0033	PLC/4/6000/C11	6000 kg	2 kg	IP 65	2000x2000 mm

Waterproof Stainless Steel Platforms



Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WX-009-0035	PL/4/300/H6	300 kg	100 g	IP 68	800x800 mm
WX-009-0037	PL/4/300/H7	300 kg	100 g	IP 68	1000x1000 mm
WX-009-0036	PL/4/600/H6	600 kg	200 g	IP 68	800x800 mm
WX-009-0038	PL/4/600/H7	600 kg	200 g	IP 68	1000x1000 mm
WX-009-0039	PL/4/1500/H7	1500 kg	500 g	IP 68	1000x1000 mm
WX-009-0040	PL/4/1500/H8	1500 kg	500 g	IP 68	1200x1200 mm
WX-009-0070	PL/4/1500/H8/9	1500 kg	500 g	IP 68	1200x1500 mm
WX-009-0042	PL/4/1500/H9	1500 kg	500 g	IP 68	1500x1500 mm
WX-009-0041	PL/4/3000/H8	3000 kg	1 kg	IP 68	1200x1200 mm
WX-009-0071	PL/4/3000/H8/9	3000 kg	1 kg	IP 68	1200x1500 mm
WX-009-0043	PL/4/3000/H9	3000 kg	1 kg	IP 68	1500x1500 mm
WX-009-0044	PL/4/3000/H10	3000 kg	1 kg	IP 68	1500x2000 mm
WX-009-0045	PL/4/6000/H10	6000 kg	2 kg	IP 68	1500x2000 mm

Stainless Steel Platforms, Pit Version



Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WX-009-0061	PL/4/300/H6/Z	300 kg	100 g	IP 68	800x800 mm
WX-009-0073	PL/4/300/H7/Z	300 kg	100 g	IP 68	1000x1000 mm
WX-009-0072	PL/4/600/H6/Z	600 kg	200 g	IP 68	800x800 mm
WX-009-0101	PL/4/600/H7/Z	600 kg	200 g	IP 68	1000x1000 mm
WX-009-0074	PL/4/1500/H7/Z	1500 kg	500 g	IP 68	1000x1000 mm
WX-009-1020	PL/4/1500/H8/Z	1500 kg	500 g	IP 68	1200x1200 mm
WX-009-0075	PL/4/3000/H8/Z	3000 kg	1 kg	IP 68	1200x1200 mm



Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WX-009-0076	PL/4/1500/H8/9/Z	1500 kg	500 g	IP 68	1200x1500 mm
WX-009-0064	PL/4/1500/H9/Z	1500 kg	500 g	IP 68	1500x1500 mm
WX-009-0077	PL/4/3000/H8/9/Z	3000 kg	1 kg	IP 68	1200x1500 mm
WX-009-0066	PL/4/3000/H9/Z	3000 kg	1 kg	IP 68	1500x1500 mm
WX-009-0078	PL/4/3000/H10/Z	3000 kg	1 kg	IP 68	1500x2000 mm
WX-009-0069	PL/4/6000/H10/Z	6000 kg	2 kg	IP 68	1500x2000 mm

Ramp Stainless Steel Platforms



Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WX-009-0182	PL/4N/150/H1	150 kg	50 g	IP 68	840x860 mm
WX-009-0120	PL/4N/300/H1	300 kg	100 g	IP 68	840x860 mm
WX-009-0184	PL/4N/300/H2	300 kg	0	IP 68	1100x1200 mm
WX-009-0186	PL/4N/300/H3	300 kg	100 g	IP 68	1200x1500 mm
WX-009-0188	PL/4N/300/H4	300 kg	100 g	IP 68	1500x1500 mm
WX-009-0183	PL/4N/600/H1	600 kg	0	IP 68	840x860 mm
WX-009-0185	PL/4N/600/H2	600 kg	200 g	IP 68	1100x1200 mm
WX-009-0187	PL/4N/600/H3	600 kg	200 g	IP 68	1200x1500 mm
WX-009-0189	PL/4N/600/H4	600 kg	200 g	IP 68	1500x1500 mm
WX-009-0079	PL/4N/1500/H2	1500 kg	500 g	IP 68	1100x1200 mm
WX-009-0081	PL/4N/1500/H3	1500 kg	500 g	IP 68	1200x1500 mm
WX-009-0082	PL/4N/1500/H4	1500 kg	500 g	IP 68	1500x1500 mm

Stainless Steel Ramp Platforms With LD Lifting System



Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WX-009-0239	PL/4N/150/H1.LD	150 kg	50 g	IP 68	840x860 mm
WX-009-0240	PL/4N/300/H1.LD	300 kg	100 g	IP 68	840x860 mm
WX-009-0242	PL/4N/300/H2.LD	300 kg	100 g	IP 68	1100x1200 mm
WX-009-0245	PL/4N/300/H3.LD	300 kg	100 g	IP 68	1200x1500 mm
WX-009-0248	PL/4N/300/H4.LD	300 kg	100 g	IP 68	1500x1500 mm
WX-009-0241	PL/4N/600/H1.LD	600 kg	200 g	IP 68	840x860 mm
WX-009-0243	PL/4N/600/H2.LD	600 kg	200 g	IP 68	1100x1200 mm
WX-009-0246	PL/4N/600/H3.LD	600 kg	200 g	IP 68	1200x1500 mm
WX-009-0249	PL/4N/600/H4.LD	600 kg	200 g	IP 68	1500x1500 mm
WX-009-0244	PL/4N/1500/H2.LD	1500 kg	500 g	IP 68	1100x1200 mm
WX-009-0247	PL/4N/1500/H3.LD	1500 kg	500 g	IP 68	1200x1500 mm
WX-009-0250	PL/4N/1500/H4.LD	1500 kg	500 g	IP 68	1500x1500 mm

To make sure the scale meets your needs, you are the one who chooses both the terminal and the platform. At your request, we will combine any terminal with any platform so that you get a device that meets all your needs.



PUE C315



PUE H315



PUE C32



PUE 7.1



HX5 EX



PUE HX7



PUE HY10



PUE 5.15



PUE 5.19



PRODUCT CATALOGUE

ADVANCED WEIGHING TECHNOLOGIES






PRODUCT CATALOGUE

ADVANCED WEIGHING TECHNOLOGIES





Industrial Scales

Advanced Weighing Technologies for Industry

Technical Specification

Pallet Scales



Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WP-230-0020	C315.4P.600.C	600 kg	200 g	IP 65 construction, IP 67 cell, IP 43 indicator	840x1200 mm
WP-230-0021	C315.4P.1500.C	1500 kg	500 g	IP 65 construction, IP 67 cell, IP 43 indicator	840x1200 mm
WP-230-0022	C315.4P.3000.C	3000 kg	1000 g	IP 65 construction, IP 67 cell, IP 43 indicator	840x1200 mm



Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WP-228-0001	HX7.4P.600.C	600 kg	200 g	IP 65 construction, IP 66/68 indicator	840x1200 mm
WP-228-0002	HX7.4P.1500.C	1500 kg	500 g	IP 65 construction, IP 66/68 indicator	840x1200 mm
WP-228-0003	HX7.4P.3000.C	3000 kg	1000 g	IP 65 construction, IP 66/68 indicator	840x1200 mm

Stainless Steel Pallet Scales



Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WP-235-0001	H315.4P.600.H	600 kg	200 g	IP 68 construction, IP 68 (1h max)/69 indicator	860x1200mm
WP-235-0002	H315.4P.1500.H	1500 kg	500 g	IP 68 construction, IP 68 (1h max)/69 indicator	860x1200mm
WP-235-0003	H315.4P.3000.H	3000 kg	1000 g	IP 68 construction, IP 68 (1h max)/69 indicator	860x1200mm



Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WP-228-0004	HX7.4P.600.H	600 kg	200 g	IP 68 construction, IP 66/68 indicator	860x1200mm
WP-228-0005	HX7.4P.1500.H	1500 kg	500 g	IP 68 construction, IP 66/68 indicator	860x1200mm
WP-228-0006	HX7.4P.3000.H	3000 kg	1000 g	IP 68 construction, IP 66/68 indicator	860x1200mm

Beam Scales



Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WP-230-0023	C315.4P2.600.C	600 kg	200 g	IP 67 construction, IP 43 indicator	2 pcs 1.2 m
WP-230-0024	C315.4P2.1500.C	1500 kg	500 g	IP 67 construction, IP 43 indicator	2 pcs 1.2 m
WP-230-0026	C315.4P2.2000.C1	2000 kg	1000 g	IP 67 construction, IP 43 indicator	2 pcs 2 m
WP-230-0029	C315.4P2.2000.C2	2000 kg	1000 g	IP 67 construction, IP 43 indicator	2 pcs 2,5 m
WP-230-0025	C315.4P2.3000.C	3000 kg	1000 g	IP 67 construction, IP 43 indicator	2 pcs 1.2 m
WP-230-0027	C315.4P2.4000.C1	4000 kg	2000 g	IP 67 construction, IP 43 indicator	2 pcs 2 m
WP-230-0030	C315.4P2.4000.C2	4000 kg	2000 g	IP 67 construction, IP 43 indicator	2 pcs 2,5 m
WP-230-0028	C315.4P2.6000.C1	6000 kg	2000 g	IP 67 construction, IP 43 indicator	2 pcs 2 m
WP-230-0031	C315.4P2.6000.C2	6000 kg	2000 g	IP 67 construction, IP 43 indicator	2 pcs 2,5m



Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WP-229-0001	HX7.4P2.600.C	600 kg	200 g	IP 65 construction, IP 66/68 indicator	2 pcs 1.2 m
WP-229-0002	HX7.4P2.1500.C	1500 kg	500 g	IP 65 construction, IP 66/68 indicator	2 pcs 1.2 m
WP-229-0004	HX7.4P2.2000.C1	2000 kg	1000 g	IP 65 construction, IP 66/68 indicator	2 pcs 2 m
WP-229-0007	HX7.4P2.2000.C2	2000 kg	1000 g	IP 65 construction, IP 66/68 indicator	2 pcs 2,5 m
WP-229-0003	HX7.4P2.3000.C	3000 kg	1000 g	IP 65 construction, IP 66/68 indicator	2 pcs 1.2 m
WP-229-0005	HX7.4P2.4000.C1	4000 kg	2000 g	IP 65 construction, IP 66/68 indicator	2 pcs 2 m
WP-229-0008	HX7.4P2.4000.C2	4000 kg	2000 g	IP 65 construction, IP 66/68 indicator	2 pcs 2,5 m
WP-229-0006	HX7.4P2.6000.C1	6000 kg	2000 g	IP 65 construction, IP 66/68 indicator	2 pcs 2 m
WP-229-0009	HX7.4P2.6000.C2	6000 kg	2000 g	IP 65 construction, IP 66/68 indicator	2 pcs 2,5 m

Stainless Steel Beam Scales



Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WP-236-0001	H315.4P2.600.H	600 kg	200 g	IP 68 construction, IP 68 (1h max)/69 indicator	2 pcs 1.2 m
WP-236-0002	H315.4P2.1500.H	1500 kg	500 g	IP 68 construction, IP 68 (1h max)/69 indicator	2 pcs 1.2 m
WP-236-0004	H315.4P2.2000.H1	2000 kg	1000 g	IP 68 construction, IP 68 (1h max)/69 indicator	2 pcs 2 m
WP-236-0007	H315.4P2.2000.H2	2000 kg	1000 g	IP 68 construction, IP 68 (1h max)/69 indicator	2 pcs 2,5 m
WP-236-0003	H315.4P2.3000.H	3000 kg	1000 g	IP 68 construction, IP 68 (1h max)/69 indicator	2 pcs 1.2 m
WP-236-0005	H315.4P2.4000.H1	4000 kg	2000 g	IP 68 construction, IP 68 (1h max)/69 indicator	2 pcs 2 m
WP-236-0008	H315.4P2.4000.H2	4000 kg	2000 g	IP 68 construction, IP 68 (1h max)/69 indicator	2 pcs 2,5 m
WP-236-0006	H315.4P2.6000.H1	6000 kg	2000 g	IP 68 construction, IP 68 (1h max)/69 indicator	2 pcs 2 m
WP-236-0009	H315.4P2.6000.H2	6000 kg	2000 g	IP 68 construction, IP 68 (1h max)/69 indicator	2 pcs 2,5 m



Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WP-229-0010	HX7.4P2.600.H	600 kg	200 g	IP 68 construction, IP 66/68 indicator	2 pcs 1.2 m
WP-229-0011	HX7.4P2.1500.H	1500 kg	500 g	IP 68 construction, IP 66/68 indicator	2 pcs 1.2 m
WP-229-0013	HX7.4P2.2000.H1	2000 kg	1000 g	IP 68 construction, IP 66/68 indicator	2 pcs 2 m
WP-229-0016	HX7.4P2.2000.H2	2000 kg	1000 g	IP 68 construction, IP 66/68 indicator	2 pcs 2,5 m
WP-229-0012	HX7.4P2.3000.H	3000 kg	1000 g	IP 68 construction, IP 66/68 indicator	2 pcs 1.2 m
WP-229-0014	HX7.4P2.4000.H1	4000 kg	2000 g	IP 68 construction, IP 66/68 indicator	2 pcs 2 m
WP-229-0017	HX7.4P2.4000.H2	4000 kg	2000 g	IP 68 construction, IP 66/68 indicator	2 pcs 2,5 m
WP-229-0015	HX7.4P2.6000.H1	6000 kg	2000 g	IP 68 construction, IP 66/68 indicator	2 pcs 2 m
WP-229-0018	HX7.4P2.6000.H2	6000 kg	2000 g	IP 68 construction, IP 66/68 indicator	2 pcs 2,5 m

Livestock Scale



Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WP-237-0001	H315.4I.2000.S1	2000 kg	1 kg	IP 67 construction, IP 68 (1h max)/69 indicator	1x2x1,1 m
WP-237-0002	H315.4I.2000.S2	2000 kg	1 kg	IP 67 construction, IP 68 (1h max)/69 indicator	1x2x1,8 m
WP-237-0003	H315.4I.2000.S3	2000 kg	1 kg	IP 67 construction, IP 68 (1h max)/69 indicator	1x2,5x1,8 m

Stainless Steel Livestock Scales



Product Code	Model	Max. capacity	Readability	Protection class	Weighing pan dimensions
WP-237-0004	H315.4I.2000.H1	2000 kg	1 kg	IP 68 construction, IP 68 (1h max)/69 indicator	1x2x1,1 m
WP-237-0006	H315.4I.2000.H3	2000 kg	1 kg	IP 68 construction, IP 68 (1h max)/69 indicator	1x2x1,8 m
WP-237-0005	H315.4I.2000.H2	2000 kg	1 kg	IP 68 construction, IP 68 (1h max)/69 indicator	1x2,5x1,8 m

Overhead Track Scale



Product Code	Model	Max. capacity	Readability	Protection class	Detection line span
WP-238-1001	H315.2K.300/600 300/600	300 / 600 kg	0.1 / 0.2 kg	IP 67 construction, IP 68 (1h max)/69 indicator	L = 800 mm (min. 200 mm)

Stainless Steel Overhead Track Scales



Product Code	Model	Max. capacity	Readability	Protection class	Detection line span
WP-238-1002	H315.2K.300/600H	300 / 600 kg	0.1 / 0.2 kg	IP 67 construction, IP 68 (1h max)/69 indicator	L = 800 mm (min. 200 mm)